



CMT 260

STRAPPING TOOL

CYKLOP[®]
GLOBAL PACKAGING SOLUTIONS

STRAPPING
WRAPPING
CODING
TAPING

The CMT 260 strapping tool is the all-rounder for plastic straps, suitable for medium-heavy packages. The CMT 260 combines all necessary operations - tensioning, closing and cutting - in one device. The device is light in weight, ergonomically balanced and because it is easy to work with, an operator can make straps up to six times faster than a device that uses buckles or seals.

The tension and clamping speed is variable and can be set up to 2,500 N. This ensures that many products can be strapped, such as steel, stone and wood. The CMT 260 works on a battery, ideal for strapping at various locations. The CMT 260 can be used in a manual, semi-automatic or fully automatic mode.

Easy to operate

The colour display and the audio signals give the user all the information that is needed to make a correct strapping. The strap alignment indication on the tool ensures that the strapping material is properly fed in, which reduces the risk of malfunctions during the strapping cycle.

The CMT 260 is a robust strapping tool, suitable for any working environment and can be expanded with various options for extra protection.

A special valve makes the device easy to clean, maintaining a long life.



[< Click here for a video of the CMT 260 >](#)

Options

- User Interface cover
- Protection plate - bottom
- Suspension bow for stationary application

Technical specifications:	
Consumable	PP 13-16 mm width, 0,5-1,0 mm thick
	PET 13-16 mm width, 0,5-1,0 mm thick
Dimensions (LxWxH)	370 x 141 x 135 mm
Weight	3,8 Kg
Operation	Manual, Semi & Automatic
Colour display	Yes
Tension force	400 -2500 N
Variable tension speed	0-220 mm/s
Strap alignment indication	Yes
Battery	Bosch Li-Ion 18 V / 2,0 Ah
Charging time	15-30 min
Cycles per battery charge	max 800
Battery charger voltage	230V
Working temperature	-10° C to + 40° C



Cyklop International
 Industriestraße 133,
 D-50996 Köln
 (Rodenkirchen)
 Germany

+49 2236 6020
www.cyklop.com
info@cyklop.com

